


## Standard Vibration dampers

### Dimensions

Type 1




D	H	G
6	7	M3xh
8	5	M3xh
8	8	
8	10	
9	12	M3xh M4xh M5xh
10	8	M3xh M4xh M5xh
10	10	
10	15	
10	17	
10	18	
10	30	
11	11	M3xh M4xh M5xh
12	10	M3xh M4xh M5xh
13	26	M4xh M5xh
15	4	M4xh M5xh
15	5	
15	6	
15	7	
15	8	
15	9	
15	10	
15	12	
15	13	
15	15	
15	20	
15	25	
15	30	
16	18	
20	5	M5xh M6xh M8xh
20	8	
20	10	
20	11	M5xh M6xh M8xh
20	12	
20	13	
20	15	
20	17	
20	20	
20	23	
20	25	
20	30	

# VIBRATION DAMPERS

## Dimensions

Type 1




D	H	G
25	8	M6xh
25	10	M6xh
25	12	M8xh
25	13	
25	14	
25	15	
25	17	
25	18	
25	19	
25	20	
25	22	
25	25	
25	27	
25	28	
25	30	
26	22	M6xh M8xh
30	8	
30	10	
30	12	
30	13	
30	15	M6xh
30	17	M8xh
30	18	M10xh
30	20	
30	22	
30	25	
30	30	
30	35	
30	45	
30	40	
40	10	M6xh
40	15	M8xh
40	20	M10xh
40	25	
40	27	
40	28	
40	30	
40	35	M6xh
40	38	M8xh
40	40	M10xh
40	45	
40	60	
50	7	
50	9	M8xh
50	12	
50	15	M8xh
50	17	M10xh
50	20	M12xh
50	21	
50	25	
50	27	
50	28	
50	30	
50	35	
50	37	
50	40	
50	42	
50	45	
50	50	
50	80	

# VIBRATION DAMPERS

## Dimensions

Type 1



D	H	G
60	15	M8xh
60	16	M10xh
60	20	
60	25	M8xh
		M10xh
60	30	M12xh
60	35	
60	40	
60	45	
60	50	
60	60	
65	35	M12xh
70	20	
70	25	M10xh
70	30	M10xh
70	35	M12xh
70	40	
70	45	
70	50	
70	53	
70	55	
70	60	
70	70	
75	20	
75	25	M10xh
75	30	M12xh
75	35	
75	40	
75	45	
75	50	
75	55	
75	60	
75	70	
75	100	
80	17	M10xh
80	18	M12xh
80	30	M14xh
80	40	M16xh
80	50	
80	55	
80	60	
80	65	
80	70	
80	75	
80	80	
90	60	M12xh
100	25	M12xh
100	30	M16xh
100	35	
100	40	
100	45	
100	50	
100	55	
100	60	
100	65	
100	70	
100	75	
100	80	
100	100	
150	50	M16xh
150	55	M20xh
150	60	
150	75	
200	100	M20xh

# VIBRATION DAMPERS

## Thread lengths (h)

<b>G</b>	<b>(h) mm</b>
<b>M3</b>	4, 6, 10
<b>M4</b>	6, 8, 10
<b>M5</b>	10, 12, 15
<b>M6</b>	6, 8, 10, 12, 15, 18, 20, 23, 28
<b>M8</b>	8, 10, 12, 15, 18, 20, 23, 25, 28, 33
<b>M10</b>	10, 12, 15, 18, 20, 23, 25, 28, 33, 38, 43
<b>M12</b>	10, 12, 18, 20, 23, 25, 27, 33, 37, 42
<b>M16</b>	26, 36, 41, 46
<b>M20</b>	41, 45